

ERGOBJÖRN TT-05



HelgeNyberg

TOWING TRACTOR TT-05

STANDING FRAME OR SCOOTER SEAT

The tractor can be ordered with an ergonomic standing frame or scooter seat.

ERGONOMIC CONTROLS

Ergonomy and smart functions make the truck intuitive and easy to drive. It is free from disturbing details.

FUNCTIONAL LED LIGHTS

Attractive design in combination with good function. Features that characterises a successful product.

MEASURED LOAD AREA

The size of the load area is adapted to a standard-sized box 600x400 mm. Sold as an accessory.

REAR-WHEEL DRIVE

With pneumatic tires, it runs quietly and smoothly over delicate flooring, such as tiles and parquet.

WELL-THOUGHT OUT DRIVER SPACE

Wide, ergonomic and non-vibrating rubber floor. Presence control by an infrared sensor, which provides a high level of safety for the driver.

NO HYDRAULICS, NO LEAKAGE

The truck is a "clean machine". No leakage from oil or battery acid.



Ergonomic controls.



Smooth over thresholds.



Connect a trolley.

THE IN-HOUSE MATERIAL HANDLING SPECIALIST

Some manufacture trucks. Others trolleys. There is only one company focusing on operator, truck and trolley together, and that's the Specialist Helge Nyberg AB. Welcome to tomorrow's material handling; The Ergobjörn TT-05.

Since 1958, Helge Nyberg AB has been developing and manufacturing trolleys and electric trucks. As specialists, the company rationalises warehousing, production and logistics for manu-fac-

turing industries, airports, third part logistics and within health-care and e-commerce.

As a specialist, our view is slightly different from the usual branch standards. Where others talk about products, we think big in terms of solutions and unique concepts within Lean Management. Our basis is to add value and minimising waste of material, time and human resources. That is what separates the specialist from others. That's what's making our customers feel secure, more efficient and more profitable.



UNIQUE SOLUTIONS CREATE HIGHER FLEXIBILITY

The Ergobjörn TT-05 is an overall concept with truck and trolley applications. The solutions are based on classical Helge Nyberg features such as maximum user comfort, secure warranties, quality and reliability. The truck is developed to be intuitive. It is easy and a joy to drive and has modern design and technique.

SMARTER ERGONOMICS SAVES MONEY AND PERSONNEL

The Ergobjörn TT-05 is a clean machine. No hydraulics or leakage from oil or battery acid. The ergonomic solutions are class leading. Some distinctive features are that it is quieter and provides a good view of the surrounding environment and control panel. With a TT-05 you can work more efficiently by transporting you faster between destinations.

A JOY TO DRIVE AND USER FRIENDLY

Ergobjörn TT-05 is a three-wheeled towing tractor with pneumatic tires, which makes it run quietly and smoothly over the thresholds, even on delicate flooring, such as tiles and parquet.

TT-05 is designed for industries, airports, hospitals and fairs and is optimized for a flexible material handling.

It has a presence control by an infrared sensor, which provides a high level of safety for the driver. Choose between a standing frame or scooter seat.

FLEXIBILITY AND STRENGTH IN COMBINATION

TOWING TRACTOR TT-05

En trehjulig dragtruck som är bakhjulsdriven, avsedd för industrier, flygplatser, sjukhus och mässor. Med luftgummihjul, som gör att den går tyst och smidigt över trösklar, även på ömtåliga golv, så som klinkers och parkett. Den har en närvarokontroll genom en infraröd sensor, som ger en hög säkerhet för föraren. Välj mellan ett ståstöd eller mopedsits. Med en TT-05 kan du arbeta snabbare och mer effektivt, genom att transportera dig snabbare mellan destinationerna.

TT-05 kan dra laster upp till 500 kg, We have over 40 different trolleys to choose from that fits the tractor.





Dimensions and technical data


Art No	14 16 60 10
Maxh. speed	10,5 km/h
Max. towing capacity	500 kg, depending on speed and trolley application.
Max. gradient	7%
Length	1425 mm
Width	693 mm
Height	1307 mm
Weight excl. battery	155 kg

Threshold height	141 mm
Ground clearance	92 mm
Axle distance	1085 mm
Engine	
Electrical system	24 V (AC)
Power output	800 W
Drive wheels	ø320 x 90 Pneumatic
Front wheel	ø260 x 85 Pneumatic

Batteries

Valve-regulated, maintenance-free gel batteries is standard. Other batteries are available when ordering. No specific charging room equipment required for charging.

Voltage	Capacity	Weight
24 V	76 Ah/C5	58 kg
24 V	105 Ah/C5	76 kg




ACCESSORIES

Examples of accessories

Scooter seat	Art nr 12263095
Load rack	Art nr 12263090
Puncture proof wheels	Art nr 12263098
Batteries (2x76 Ah)	Art nr 12261115
Batteries (2x105 Ah)	Art nr 12261116
Charger 16,5 A	Art nr 12261140
Charger 20 A	Art nr 12261146



We make reservation for deviations and misprints. Product development is constantly ongoing and therefore we reserve us the right to make changes in appearance and construction. The trucks displayed in the pictures may be equipped with extras.



TROLLEYS FOR TT-05

All our trolleys have a capacity of 500 kg. With their excellent ergonomics and high quality, they help improve the profitability of companies that handle light goods in-house. Thanks to a wide range of wheel types, shelf size etc, the trolleys are extremely flexible and easy to adapt to the job at hand.



SHELF TROLLEY MODEL 25

The ends and shelves are reinforced to withstand heavy loads. The end uprights are held together by a top element. Lower shelf is recessed in the frame profile. Upper shelves are continuously height-adjustable. Upper shelf have a 25x20 mm edge profile that creates a 10 mm high edge along the lateral sides. Extra shelves can be added.



SHELF TROLLEY MODEL 27

The ends and shelves are reinforced to withstand heavy loads. The end uprights are held together by a top element. Lower shelf is recessed in the frame profile. Upper shelves are continuously height-adjustable. Upper shelf have a 25x20 mm edge profile that creates a 10 mm high edge along the lateral sides. Extra shelves can be added.



PLATFORM TROLLEY MODEL 54

The end and shelf are reinforced to withstand heavy loads. The end upright is held together by a top element. The shelf is recessed in the frame profile. (The push brake in the picture available as accessory.)



PLATFORM TROLLEY MODEL 55

The ends and shelves are reinforced to withstand heavy loads. The end uprights are held together by a top element. The shelf is recessed in the frame profile. (The push brake in the picture available as accessory.)



PARCEL TROLLEY MODEL 86


The ends and shelves are reinforced. The uprights are held together by a top element. Side gates are easily opened. The shelf is recessed in the frame profile.



TROLLEY FOR TT-05

A small, smooth trolley with two wheels, for fast transportation. The size is customized for standard boxes. The pneumatic tires, makes it run quietly and smoothly over the thresholds, even on delicate flooring, such as tiles and parquet. It is also perfectly fine to run outdoors.

A SPECIALIST WITH CONCEPTS FOR MANY APPLICATION AREAS



INDUSTRY & MANUFACTURING

Helge Nyberg operates in both light and heavy industries. We have industrial solutions for the entire material flow.



E-COMMERCE & DISTRIBUTION

With our long history and our location in a geographic area that is dense with mail order, and logistics and warehousing businesses, we have unique know-how and experience regarding order picking and third party logistics.



HEALTH CARE & HOSPITAL

All industries have different requirements and specifications regarding materials and professional equipment. The strictly regulated health care sector has certain specific requirements. We can meet these requirements.



AUTOMOTIVE & VEHICLE

The development of smart logistics is perhaps most advanced in the automotive industry. Helge Nyberg's solutions are part of this development.



SERVICE & SUPPORT

Our truck and trolley solutions are not only ideal for transporting baggage or materials, for instance at airports and trade fairs. They are just as frequently used as wheeled service points by technicians and installers, for example in factories.



LEAN SOLUTIONS

As specialists, we are happy to help you develop the most resource-efficient solution to your material handling needs – the right material, in the right place at the right time.

HelgeNyberg

HELGE NYBERG AB

Industrivägen 2
523 90 Ulricehamn, Sweden

Phone +46 321 263 00
Fax +46 321 263 01

info@helge-nyberg.com
www.helge-nyberg.com

HELGE NYBERG GmbH

Rodensteinstrasse 19
646 25 Bensheim, Germany